

My VYVGART® Path

Here for you during your
VYVGART treatment journey



VYVGART®
(efgartigimod alfa-fcab)
Injection for Intravenous Use
400 mg/20 mL vial

VYVGART® Hytrulo
(efgartigimod alfa and
hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

It's important to know there's someone here for you during your VYVGART treatment journey

It may feel overwhelming living with anti-AChR antibody positive generalized myasthenia gravis (gMG) and getting started on a treatment. With My VYVGART Path, you'll have access to resources and personalized support throughout your treatment journey.

My VYVGART Path is a Patient Support Program that provides personalized support from a Nurse Case Manager and committed support team. They are dedicated to listening to you and answering questions you may have about gMG and VYVGART during your treatment journey.

Not yet enrolled in My VYVGART Path?

**ASK YOUR
DOCTOR
TO SIGN YOU UP**



With My VYVGART Path, a Nurse Case Manager is waiting to help you through your VYVGART treatment journey.

AChR=acetylcholine receptor
Visit [VYVGART.com/glossary](https://www.vyvgart.com/glossary) for a glossary of terms.

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART® HYTRULO (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines, each used to treat a condition called generalized myasthenia gravis, which causes muscles to tire and weaken easily throughout the body, in adults who are positive for antibodies directed toward a protein called acetylcholine receptor (anti-AChR antibody positive).

SELECT IMPORTANT SAFETY INFORMATION

VYVGART and VYVGART HYTRULO may increase the risk of infection. The most common infections for efgartigimod alfa-fcab-treated patients were urinary tract and respiratory tract infections.

Please see Important Safety Information on page 11. Please see full Prescribing Information for [VYVGART for IV infusion](#) and [VYVGART HYTRULO for subcutaneous injection](#).



**A Nurse Case Manager
is ready to help you.**

Give them a call at:

1-833-MY-PATH-1

(1-833-697-2841)

VYVGART is available in 2 forms:

VYVGART[®]
(efgartigimod alfa-fcab)
Injection for Intravenous Use
400 mg/20 mL vial

For IV infusion

Given by inserting a needle into a vein so the medicine enters the bloodstream.

VYVGART[®] Hytrulo
(efgartigimod alfa and
hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial

For subcutaneous injection

Given by delivering medicine into the layer beneath the skin.

You and your doctor will decide which route of administration is right for you.

How we can help with your VYVGART treatment journey



After you and your neurologist decide on VYVGART, your doctor's office will be able to enroll you in My VYVGART Path. Then, a Nurse Case Manager will call you to welcome you into the program and **offer assistance as you get started on your treatment journey with VYVGART**

IV=intravenous
Visit [VYVGART.com/glossary](https://www.vyvgart.com/glossary) for a glossary of terms.

Please see Important Safety Information on page 11. Please see full Prescribing Information for [VYVGART for IV infusion](#) and [VYVGART HYTRULO for subcutaneous injection](#).


A NURSE CASE MANAGER IS HERE TO HELP YOU:



**Understand your
VYVGART treatment**



**Feel empowered with
resources and information**



**Navigate the
insurance process**



**Understand potential
financial assistance
programs**



A Nurse Case Manager can help you **Understand your VYVGART treatment**

HOW WE CAN HELP

- ➔ Educate you and your loved ones about your condition
- ➔ Explain how VYVGART works
- ➔ Help you understand dosing and treatment cycles
- ➔ Show you how to track gMG symptoms
- ➔ Give you information on potential insurance coverage and financial assistance programs
- ➔ Provide educational information and resources on the infusion or injection process
- ➔ Discuss your options for receiving infusions or injections at an infusion center, your doctor's office, or at home*

*A Nurse Case Manager can help you determine what your insurance plan offers in terms of infusion or injection center locations and services. In some cases, VYVGART may be given at home by a trained nurse.

Please see Important Safety Information on page 11. Please see full Prescribing Information for [VYVGART for IV infusion](#) and [VYVGART HYTRULO for subcutaneous injection](#).




A Nurse Case Manager can help you **Feel empowered with resources and information**

Nurse Case Managers can support you throughout your VYVGART treatment journey to help you in following your doctor's treatment plan.

HOW WE CAN HELP

- ➔ Provide VYVGART information to help you understand how VYVGART works
- ➔ **Teach you about tracking your symptoms** with a symptom tracker, which can inform your discussions with your doctor
- ➔ **Equip you with tools and resources** that may be able to help you track your infusions or injections, symptoms, and potential reactions to treatment
- ➔ Support you in **following your doctor's VYVGART treatment plan**

Please see Important Safety Information on page 11. Please see full Prescribing Information for **VYVGART for IV infusion** and **VYVGART HYTRULO for subcutaneous injection**.



A Nurse Case Manager can help you

Navigate the insurance process

Dealing with insurance can be complicated. You may have questions about your insurance coverage, want to know more about the cost of treatment, or just need information about your out-of-pocket costs for VYVGART. With My VYVGART Path, **you'll find support in understanding each step of the insurance process.**

HOW WE CAN HELP

- ➔ Coordinate with our support team, your neurologist's office, and insurance company to **verify what is covered** by your insurance
- ➔ Share educational information to help you understand the insurance process and answer frequently asked questions
- ➔ Help you understand your insurance coverage
- ➔ **Give you updates** on the insurance process

Please see Important Safety Information on page 11. Please see full Prescribing Information for [VYVGART for IV infusion](#) and [VYVGART HYTRULO for subcutaneous injection](#).



A Nurse Case Manager can help you **Understand potential financial assistance programs**

If you have financial concerns or gaps in insurance coverage for your VYVGART therapy, **a Nurse Case Manager is here for you with information and support.**

HOW WE CAN HELP

- ➔ If you are eligible, **help enroll you in the VYVGART Co-pay Program**
- ➔ Refer you to charitable foundations that may be able to **help with your out-of-pocket costs**
- ➔ Inform you of **financial assistance programs that may be available**

Please see Important Safety Information on page 11. Please see full Prescribing Information for **VYVGART for IV infusion** and **VYVGART HYTRULO for subcutaneous injection**.

**“ I want to do as much
as I can to help people
during their VYVGART
treatment journey. ”**

Vera

Nurse Case Manager

Karen

Nurse Case Manager

**“ It is a great privilege
to support patients
during their
treatment journey. ”**

**“ It’s a great feeling to
educate patients about
a treatment option that is
FDA-approved. ”**

Margaret

Nurse Case Manager

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about VYVGART[®] (efgartigimod alfa-fcab) for intravenous (IV) infusion and VYVGART[®] HYTRULO (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO may cause serious side effects, including:

- **Infection.** VYVGART and VYVGART HYTRULO may increase the risk of infection. The most common infections for efgartigimod alfa-fcab-treated patients were urinary tract and respiratory tract infections. More patients on efgartigimod alfa-fcab vs placebo had below normal levels for white blood cell counts, lymphocyte counts, and neutrophil counts. The majority of infections and observed lower white blood cell counts were mild to moderate in severity. Your healthcare provider should check you for infections before starting treatment, during treatment, and after treatment with VYVGART or VYVGART HYTRULO. Tell your healthcare provider if you have any history of infections. Tell your healthcare provider right away if you have signs or symptoms of an infection during treatment with VYVGART or VYVGART HYTRULO such as fever, chills, frequent and/or painful urination, cough, pain and blockage of nasal passages/sinus, wheezing, shortness of breath, fatigue, sore throat, excess phlegm, nasal discharge, back pain, and/or chest pain. If a serious infection occurs, your doctor will treat your infection and may even stop your VYVGART or VYVGART HYTRULO treatment until the infection has resolved.
- **Undesirable immune reactions (hypersensitivity reactions).** VYVGART and VYVGART HYTRULO can cause the immune system to have undesirable reactions such as rashes, swelling under the skin, and shortness of breath. Hives were also observed in patients treated with VYVGART HYTRULO. In clinical studies, the reactions were mild or moderate and occurred within 1 hour to 3 weeks of administration, and the reactions did not lead to treatment discontinuation. Your healthcare provider should monitor you during and after treatment and discontinue VYVGART or VYVGART HYTRULO if needed. Tell your healthcare provider immediately about any undesirable reactions to VYVGART or VYVGART HYTRULO.

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you:

- Have a history of infection or you think you have an infection.
- Have received or are scheduled to receive a vaccine (immunization). Discuss with your healthcare provider whether you need to receive age-appropriate immunizations before initiation of a new treatment cycle with VYVGART or VYVGART HYTRULO. The use of vaccines during treatment with VYVGART or VYVGART HYTRULO has not been studied, and the safety with live or live-attenuated vaccines is unknown. Administration of live or live-attenuated vaccines is not recommended during treatment with VYVGART or VYVGART HYTRULO.
- Are pregnant or plan to become pregnant and are breastfeeding or plan to breastfeed.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the common side effects of VYVGART and VYVGART HYTRULO?

The most common side effects of efgartigimod-alfa-fcab-treated patients were respiratory tract infection, headache, and urinary tract infection. Additional common side effects with VYVGART HYTRULO are injection site reactions, including rash, redness of the skin, itching sensation, bruising, pain, and hives.

These are not all the possible side effects of VYVGART and VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to the US Food and Drug Administration at 1-800-FDA-1088.

What is VYVGART for IV infusion and what is VYVGART HYTRULO for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines, each used to treat a condition called generalized myasthenia gravis, which causes muscles to tire and weaken easily throughout the body, in adults who are positive for antibodies directed toward a protein called acetylcholine receptor (anti-AChR antibody positive).

Please see the full Prescribing Information for [VYVGART](#) and the full Prescribing Information for [VYVGART HYTRULO](#), and talk to your doctor.



**We're here to help you on your
VYVGART treatment journey!**



Scan this QR code with the camera on your smartphone
to call the committed team at My VYVGART Path.

1-833-MY-PATH-1 (1-833-697-2841)

myVYVGARTpath.com

My VYVGART® *Path*

VYVGART®
(efgartigimod alfa-fcab)
Injection for Intravenous Use
400 mg/20 mL vial

VYVGART® Hytrulo
(efgartigimod alfa and
hyaluronidase-qvfc)
Subcutaneous Injection
180 mg/mL and 2000 U/mL vial



VYVGART is a registered trademark of argenx.

VYVGART Hytrulo is a trademark of argenx.

For U.S. audiences only.

©2023 argenx US-ESC-22-00016 V1 06/2023